


Atmel SAM3S Series

Cortex-M3 Flash Microcontroller Delivers High Integration and Low Power




Benefits

- ARM[®] Cortex[™]-M3 technology
- Pin-to-pin compatible with best-selling Atmel[®] SAM7S series
- · Highly-integrated peripheral set, including full-speed USB device
- Native Atmel QTouch® capacitive touch support
- Low power consumption
- · Simplified PCB design and low system cost
- · Parallel input/output (I/O) signal capture
- Safety features

Key Features

- 1.62V to 3.6V supply
- Cortex-M3 rev 2.0 processor running at up to 64MHz
- Memory protection unit (MPU)
- · Optional dual-bank Flash
- Native 4-layer AHB bus matrix, 21 DMA channels
- Embedded regulator, power-on reset, brown-out detection and multiple clock sources, including 32kHz oscillator and factory-trimmed RC
- High-speed peripherals, including USB2.0 FS device, HS SD/ SDIO/MMC, USART, SPI
- Up to 16-channel 12-bit 1Msps ADC with PGA stage and differential inputs, 2-channel 12-bit 1Msps DAC, analog comparator
- Powerful and flexible 16-bit timers with quadrature decoder and gray counter. Powerful PWM unit, calendar RTC, watchdog timer
- Power consumption 2.3mW@1MHz, 1.3mW@500kHz, backup mode down to 1.8µA
- ECC on flash, independent watchdog, dual-bank flash, clock failure detection. On-the-fly external memory scrambling.
- · 8-bit parallel data capture on PIO controller
- Up to 79 I/O lines with integrated serial resistors (on-die termination)
- 48-, 64- and 100-pin packages



Application Areas

- Consumer goods and toys
- Industrial control
- Metering
- Medical
- · Test and measurement
- 802.15.4 wireless networking
- PC, cell phone, gaming peripherals



Atmel SAM3S Series

Cortex-M3 Flash Microcontroller Delivers High Integration and Low Power

Evaluation Kit and Ecosystem

- · Full-featured evaluation board and software library
- Atmel BitCloud® (ZigBee PRO) stack available
- QTouch library support for buttons, sliders and wheels
- Worldwide support ecosystem of industry-leading suppliers of development tools, real-time operating systems and middleware products
- Kit Ordering Code ATSAM3S-EK2



Device Ordering Information

Ordering Code	Flash	Package
ATSAM3S8CA-AU	512kB	LQFP100
ATSAM3S8CA-CU	512kB	BGA100
ATSAM3S8BA-AU	512kB	LQFP64
ATSAM3S8BA-MU	512kB	QFN64
ATSAM3SD8CA-AU	512kB*	LQFP100
ATSAM3SD8CA-CU	512kB*	BGA100
ATSAM3SD8BA-AU	512kB*	LQFP64
ATSAM3SD8BA-MU	512kB*	QFN64
ATSAM3S4CA-AU	256kB	LQFP100
ATSAM3S4CA-CU	256kB	BGA100
ATSAM3S4BA-AU	256kB	LQFP64
ATSAM3S4BA-MU	256kB	QFN64
ATSAM3S4AA-AU	256kB	LQFP48

Ordering Code	Flash	Package
ATSAM3S4AA-MU	256kB	QFN48
ATSAM3S2CA-AU	128kB	LQFP100
ATSAM3S2CA-CU	128kB	BGA100
ATSAM3S2BA-AU	128kB	LQFP64
ATSAM3S2BA-MU	128kB	QFN64
ATSAM3S2AA-AU	128kB	LQFP48
ATSAM3S2AA-MU	128kB	QFN48
ATSAM3S1CA-AU	64kB	LQFP100
ATSAM3S1CA-CU	64kB	BGA100
ATSAM3S1BA-AU	64kB	LQFP64
ATSAM3S1BA-MU	64kB	QFN64
ATSAM3S1AA-AU	64kB	LQFP48
ATSAM3S1AA-MU	64kB	QFN48

^{* 2}x256kB dual-bank Flash





Atmel Corporation

1600 Technology Drive, San Jose, CA 95110 USA

T: (+1)(408) 441.0311

F: (+1)(408) 487. 2600

www.atmel.com

 $\ \odot$ 2012 Atmel Corporation. All rights reserved. / Rev.: 11075E-SAM3S-E-A4-10/12

Atmel®, Atmel logo and combinations thereof, and others are registered trademarks or trademarks of Atmel Corporation or its subsidiaries. ARM®, ARMPowered® logo and others are the registered trademarks or trademarks or trademarks of ARM Ltd. Other terms and product names may be the trademarks of others. Atmel logo and combinations thereof, and others are registered trademarks or trademarks or trademarks of Atmel Corporation or its subsidiaries.

Disclaimer: The information in this document is provided in connection with Atmel products. No license, express or implied, by estopped or otherwise, to any intellectual property right is granted by this document or in connection with the sale of Atmel products. EXCEPT AS SET FORTH IN THE ATMEL TERMS AND CONDITIONS OF SALES LOCATED ON THE ATMEL WEISTIE, ATMEL ASSUMES NO LIABILITY WHATSOEVER AND DISCLAIMS ANY EXPRESS, IMPLIED OR STATUTORY WARRANTY OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSS. CR NON-INFRINGEMENT, IN NO EVENT IN NO EVENT IS HALL ATMEL BE LIABLE FOR ANY DIRECT, INDIRECT, CONSEQUENTIAL, PUNITIVE, SPECIAL OR INCIDENTAL DAMAGES (INCLUDING, WITHOUT LIMITATION, DAMAGES FOR LOSS AND PROFITS, BUSINESS INTERRUPTION, OR LOSS OF INFORMATION) ARISING OUT OF THE USE OR INABILITY TO USE THIS DOCUMENT, EVEN IF ATMEL HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES. Atmel makes no representations or warranties with respect to the accuracy or completeness of the contents of this document and reserves the right to make changes to specifications and products descriptions at any time without notice. Atmel does not make any commitment to update the information contained herein. Unless specifically provided otherwise, Atmel products are not intended, authorized, or warranted for use as components in applications intended to support or sustain life.