

## NFM15CC223C1A3#



< List of part numbers with package codes > NFM15CC223C1A3D

### Applications

Unsuitable	Please be sure to read and comply with
Applications	these "Precautions for use."
Applications Specific Applications	these "Precautions for use." Consumer equipment,Industrial Equipment,Mobile Electronics,Medical equipment [GHTF A/B/C] except for implant equipment,Automotive infotainment/comfort equipment Please refer to Our Website and specifications, etc. for information about the performance, functions, quality,
	management, and safety required for the above applications, and use Products after confirming the performance and reliability of the actual Product.

# http://www.murata.com/en-us/products/product/detail?partno=NFM15CC223C1A3%23

#### "#"at the end indicates the package specification code.

Please download the latest datasheet of NFM15CC223C1A3# from the official website of Murata

References

Note: This datasheet may be out of date.


Manufacturing Co., Ltd.

	Packaging	Specifications	Standard
			Packing
			Quantity
	D	φ180mm Reel Paper Tape	10000

Mass (typ.)		
1 piece	0.3mg	

### Appearance & Shape





#### 1 of 3

#### Attention

1. This datasheet is downloaded from the website of Murata Manufacturing Co., Ltd. Therefore, it's specifications are subject to change or our products in it may be discontinued

without advance notice. Please check with our sales representatives or product engineers before ordering.

2. This datasheet has only typical specifications because there is no space for detailed specifications.

Therefore, please review our product specifications or consult the approval sheet for product specifications before ordering.





## NFM15CC223C1A3#

Note: This datasheet may be out of date. Please download the latest datasheet of NFM15CC223C1A3# from the official website of Murata Manufacturing Co., Ltd.

http://www.murata.com/en-us/products/productdetail?partno=NFM15CC223C1A3%23

"#"at the end indicates the package specification code.



### Specifications

Length	1.0±0.1mm
Width	0.5±0.2mm
Thickness	0.4±0.1mm
Capacitance	22000pF ±20%
Distance between external terminals g	0.1mm min.
DC Resistance(max.)	40mΩ
External terminal size e	0.17±0.1mm
External terminal size i	0.35±0.1mm
External terminal size J	0.15±0.1mm
Operating Temperature Range	-55℃ to 105℃
Rated Current	1A
Rated Voltage	10Vdc
Size code in inch(mm)	0402 (1005M)

2 of 3

#### Attention

1. This datasheet is downloaded from the website of Murata Manufacturing Co., Ltd. Therefore, it's specifications are subject to change or our products in it may be discontinued

without advance notice. Please check with our sales representatives or product engineers before ordering.

2. This datasheet has only typical specifications because there is no space for detailed specifications.

Therefore, please review our product specifications or consult the approval sheet for product specifications before ordering.





Product Search Data Sheet

Note: This datasheet may be out of date. Please download the latest datasheet of NFM15CC223C1A3# from the official website of Murata Manufacturing Co., Ltd.


http://www.murata.com/en-us/products/productdetail?partno=NFM15CC223C1A3%23

"#"at the end indicates the package specification code.

## Characteristic Data

NFM15CC223C1A3#

The charts below may show another part number which shares its characteristics.



3 of 3

#### Attention

1. This datasheet is downloaded from the website of Murata Manufacturing Co., Ltd. Therefore, it's specifications are subject to change or our products in it may be discontinued

without advance notice. Please check with our sales representatives or product engineers before ordering.

2. This datasheet has only typical specifications because there is no space for detailed specifications.

Therefore, please review our product specifications or consult the approval sheet for product specifications before ordering.

