

Part Number: 02062101

Product Description: 1.57mm Diameter, Standard .062" Pin and Socket Crimp Terminal, Series 1560, Male, with Tin (Sn) Plated Brass Contact, 24-18 AWG, Reel

Series Number: 1560

Status: Active

Product Category: Crimp Terminals Engineering Number: 1560-(P901) Packaging Alternative: 02062103 (Bag)



Documents & Resources

Drawings

<u>002062101_sd.pdf</u> 15600000-PK-000.pdf

Specifications

PS-02-06-001.pdf

Product Environment Compliance

Compliance

| GADSL/IMDS | Compliant with Exemption 44 |
|--------------------|--|
| China RoHS | © |
| EU ELV | Not Relevant |
| Low-Halogen Status | Low-Halogen per IEC 61249-2-21 |
| REACH SVHC | Not Contained per D(2024)4144-DC (27 June 2024) |
| EU RoHS | Compliant per EU 2015/863 |

Multiple Part Product Compliance Statements

- Eu RoHS
- REACH SVHC
- Low-Halogen

Multiple Part Industry Compliance Documents

- IPC 1752A Class C

- IPC 1752A Class D
- Molex Product Compliance Declaration
- IEC-62474
- chemSHERPA (xml)

EU RoHS Certificate of Compliance

Part Details

General

| Status | Active |
|----------------|---|
| Category | Crimp Terminals |
| Series | 1560 |
| Description | 1.57mm Diameter, Standard .062" Pin and Socket Crimp Terminal, Series 1560, Male, with Tin (Sn) Plated Brass Contact, 24-18 AWG, Reel |
| Application | Power, Wire-to-Wire |
| Product Family | Standard .062"+ and Standard .062" Pin and Socket Connector Systems |
| Product Name | Standard .062" |
| UPC | 800753616080 |

Physical

| Gender | Male |
|--------------------------------|----------------------|
| Material - Metal | Brass |
| Material - Plating Mating | Tin |
| Material - Plating Termination | Tin |
| Net Weight | 0.120/g |
| Packaging Type | Reel |
| Plating min - Mating | 0.508µm |
| Plating min - Termination | 0.508µm |
| Termination Interface Style | Crimp or Compression |
| Wire Insulation Diameter | 1.52-3.05mm |
| Wire Size (AWG) | 18, 20, 22, 24 |
| Wire Size mm ² | N/A |

Solder Process Data

| Lead-Free Process Capability | N/A | |
|------------------------------|-----|--|
|------------------------------|-----|--|

Application Tooling

Global

| Description | Part Number |
|---|------------------|
| Insertion Tool for Standard .062" Diameter Male and Female Terminals | 11020001 |
| Extraction Tool for Standard .062" and Standard .062"+ Pin and Socket Terminals | 11030002 |
| Terminator Die | 11402004 |
| ServiceGrade Hand Crimp Tool for Field Repair Only, 24-14 AWG | <u>638111000</u> |
| Hand Crimp Tool for Standard 1.57mm Pin and Socket Crimp Terminals, 24-18 AWG | 638191300 |
| Mini-Mac Applicator for Standard .062" Pin and Socket Terminals, for 24-18 AWG Wire with Insulation Diameter 1.52-3.05mm | <u>638914000</u> |

This document was generated on Nov 28, 2024