



Mylar Speaker


KPSP5790MN SERIES

FREQUENCY RESPONSE


[actual curve of type]



Metal Frame
Inner Nd-Fe-B Magnetic



Bottom View



Side View

all dimensions are in mm


Model No	KPSP5790MN-08/0.25A
Impedance	4, 8, 16, 32 (± 15%)
Nom. / Max. Power	0.25W/ 0.5W
Resonant Frequency	450 ± 20%Hz
Frequency Range	fo-3000Hz
Sound Pressure Level	85 ± 3dB / 1 W at 1m at 1KHZ
Magnetic size	12.5 × 1.3mm
Weight	15g

* Value applying at rated voltage

KPSP57130MN SERIES


FREQUENCY RESPONSE

[actual curve of type]




Metal Frame
Inner Nd-Fe-B Magnetic

DIMENSIONS



Bottom View



Side View

all dimensions are in mm


Model No	KPSP57130MN-08 / 0.25G
Impedance	4, 8, 16, 32 (± 15%)
Nom. / Max. Power	0.25W/ 0.5W
Resonant Frequency	450 ± 20% Hz
Frequency Range	fo - 4000Hz
Sound Pressure Level	82 ± 3dB / 2Vrms at 10cm at 1KHZ
Magnetic size	12.5 × 2.0mm
Weight	20g

* Value applying at rated voltage

KPSP66150MN SERIES


FREQUENCY RESPONSE

[actual curve of type]




Metal Frame
Inner Nd-Fe-B Magnetic

DIMENSIONS



Bottom View



Side View

all dimensions are in mm

Model No	KPSP66150MN-08 / 0.25G
Impedance	4, 8, 16, 32 (± 15%)
Nom. / Max. Power	0.25W/ 0.5W
Resonant Frequency	450 ± 20% Hz
Frequency Range	fo - 3500Hz
Sound Pressure Level	84 ± 3dB / 2.83Vrms at 1m at 1KHZ
Magnetic size	12.5 × 2.0mm
Weight	23g

* Value applying at rated voltage

The information contained herein is believed to be correct, but no guarantee for accuracy, completeness KEPO Electronics Ltd. reserves the right to make changes without notification.